



Tecnovap S.r.l. - Via dei Sassi 1/a, 37026 Pescantina, Verona - Italy

+39 045 67 67 252 @ sales@tecnovap.com / info@tecnovap.com www.tecnovap.it



PRICELIST AND CONFIGURATION GUIDE

Car Hygiene Plus

REV.0 01/2026



Preface

- All our steam cleaners are marked **CE** , therefore manufactured according to the European regulations EN 60335-1 EN 60335-2-2 EN 60335-2-79 and all the components used during the production process are always subjected to severe tests; the boilers, for example, are tested twice their rated pressure at room temperature for 5 minutes.

Our company policy is always focused on the continuous research for high quality and safety standards. A visible example is the presence of two overpressure valves, homologated according to the regulation 97/23CE PED even if the current rule requires just one overpressure valve.

This is the proof that we not only satisfy the EC regulations but we also try to be in the van of reliability of our steam cleaners.

- We kindly remind you that as per our supplier conditions, our products prices can't be displayed on internet.

- Prices marked with a red dot ● are subjected to a fix 50% discount.

Summary

Click on the model to open its product sheet



Car Hygiene Plus

	page
Technical data	4
Functions	5
Payment systems	6
Optional	7
Design	8 - 10
Installation	11

Car Hygiene Plus

kW 6,7

Stationary system for steam cleaning of car interiors and exteriors::

- Can also be installed outdoors, thanks to its resistance to cold temperatures (pre-programmed antifreeze system).
- Equipped with a wet&dry vacuum cleaner with an induction turbine.
- Can be used in self-service mode (with payment systems) or operator mode (no payment systems).
- Customizable with up to five functions.
- Possibility of setting the cost and duration of each chosen function.
- Available with different payment systems



Steam cleaner

Boiler	Stainless-steel AISI 304 with interchangeable heating elements	
Body	Stainless-steel AISI 304 BA	
Power supply	V - Hz	3~ N 400 - 50/60
Boiler output	kW/h	3,6
Maximum output	kW/h	6,7
Boiler volume	l	7
Stand-by consumption	kW/h	0,16
Operating pressure	bar	6
Water tank	l	20
Detergent tank	l	6
Steam production	g/min	97
	Kg/h	5,9
Steam temperature	° C	165

Vacuum cleaner

Power output	kW/h	3
Drum material	-	Stainless-steel AISI 304
Drum capacity	l	30
Air flow	m3/h	320
Depression	mm	3200

Various

Weight	Kg	215
Cable	m	8
Dimensions	cm	H. 164 x L. 117 x W. 75,1

1. Choose the functions

Car Hygiene Plus comes with the steam and vacuum function as standard and a second or more options of your choice. Select the desired function(s) and indicate the cost and duration of the service(s):

 standard  Steam + Vacuum 8m Star hose and stainless-steel upholstery nozzle € 15.906,00 ● duration: _____ cost: _____	
Select at least one function among the following: 	
  Steam 8m July hose and bayonette lance € 360,00 ● duration: _____ cost: _____	  Vacuum 7,5m vacuum hose with plate nozzle € 587,00 ● duration: _____ cost: _____
  Detergent 7,5m detergent gun € 678,00 ● FREE SERVICE ☐ or duration: _____ cost: _____	  Compressed air Inflating/deflating hose with pressure gauge € 795,00 ● FREE SERVICE ☐ or duration: _____ cost: _____

2. Payment systems

Local currency _____	
☐ Banknote acceptor  € 511,00 ●	nr. 1 _____ nr. 2 _____ nr. 3 _____ nr. 4 _____ nr. 5 _____ <i>If the currency is different from Euro, please provide two (2) banknotes per indicated denomination. These are necessary for checking and calibrating the payment reader. The banknotes will be returned upon delivery of Car Hygiene Plus.</i>
☐ Coin reader  € 227,00 ●	☐ Coins  nr. 1 _____ nr. 2 _____ nr. 3 _____ nr. 4 _____ nr. 5 _____ <i>If the currency is different from Euro, please provide ten (10) coins per indicated denomination. These are necessary for checking and calibrating the payment reader. The coins will be returned upon delivery of Car Hygiene Plus.</i> ☐ Tokens  Token value: _____ ☐ Supplied by the customer Please provide ten (10) tokens for checking and calibration of the payment reader. The tokens will be returned when Car Hygiene Plus is delivered. <i>The coins will be returned upon delivery of Car Hygiene Plus.</i> ☐ Supplied By Tecnovap: Tecnovap will send an offer for the purchase and supply of tokens.
☐ Key/Card reader  € 208,00 ●	☐ Supplied by Tecnovap ☐ Other Brand name: _____ Provide the reader's references and five (5) keys and/or cards. Tecnovap reserves the right to assess the compatibility of the reader with our systems. <u>The keys/cards will be returned upon delivery of Car Hygiene Plus.</u>
☐ Credit card 	☐ Nayax V.P. Touch ☐ Other Brand name: _____ Price upon request

3. Optional:

3.1 Hose protection:

Covering fabric that protects the hoses from atmospheric agents.



Steam/vacuum hose protection

☐ € 178,00 ☒



Steam hose protection

☐ € 126,00 ☒

3.2 External lighting

The lighting system is equipped with a clock to switch the LEDs on and off automatically.



with lighting system

☐ € 693,00 ☒



-

-

3.3 Water supply

☐ Manual refill via cold water tank

☐ Direct connection to the water mains

⚠ Attention! This choice excludes the possibility to refill via a cold water tank

4. Design

Car Hygiene Plus comes with a standard graphic. Upon request, the customer can request a customized graphic.

4.1 Tecnovap desing (included in the price of Car Hygiene Plus)

On the front panels you will find safety information and instructions on how to use Car Hygiene Plus.
The texts can be translated into the local language, Tecnovap will send the file for translation.



Example of standard graphics

4.3 Customized design

If you choose this option, you will need to provide our Graphics Department with the following materials:

- Customer logo
- Color references
- Texts, images, etc

€ 420,00



Example of customized graphics. Images are purely for illustrative purposes.



Tecnovap Logo

Tecnovap, respecting the customized graphics chosen by the customer, will insert its logo on the Car Hygiene Plus control panel




4. Design

4.4 Safety instructions

The labels, both standard and customized, will contain the necessary warnings and pictograms for the safe use of Car Hygiene Plus.

⚠ *These indications are mandatory and must not be omitted from the adhesive panels.*



5. Information for a correct installation



ON THE GROUND




ON A BASE/PLATFORM

When the order is confirmed, a technical table with the overall dimensions of the base will be provided, showing the four points for fixing the structure to the ground (the same table will be included in hard copy when the Car Hygiene Plus is shipped).

The base that will house the column must be able to support approximately 215kg of structural weight. It will also be necessary to arrange the outlet of an electric cable at the centre of the base for connection to the terminal board inside the machine by a qualified technician, with the following characteristics:

5-wire cable corresponding to 5 phases (3 phases + neutral + earth with minimum power of 6.7 kW at 16° - 400V)



Notes

Notes



L'ARTE DEL VAPORE



World leading manufacturer of high quality steam cleaners

Need more information?
Don't hesitate to contact us!



+39 045 67 67 252



sales@tecnovap.com - info@tecnovap.com



www.tecnovap.it

