

Tecnovap S.r.l. - Via dei Sassi 1/a, 37026 Pescantina, Verona - Italy

☎ +39 045 67 67 252    @ sales@tecnovap.com / info@tecnovap.com    🌐 www.tecnovap.it



## PRICELIST

# Cleaning systems for conveyor belts

REV.0 01/2026



## Preface

- All our steam cleaners are marked **CE** , therefore manufactured according to the European regulations EN 60335-1 EN 60335-2-2 EN 60335-2-79 and all the components used during the production process are always subjected to severe tests; the boilers, for example, are tested twice their rated pressure at room temperature for 5 minutes.

Our company policy is always focused on the continuous research for high quality and safety standards. A visible example is the presence of two overpressure valves, homologated according to the regulation 97/23CE PED even if the current rule requires just one overpressure valve.

This is the proof that we not only satisfy the EC regulations but we also try to be in the van of reliability of our steam cleaners.

- We kindly remind you that as per our supplier conditions, our products prices can't be displayed on internet.

- Prices marked with a red dot ● are subjected to a fix 50% discount.

## Summary

Click on the model to open its product sheet




### Belt cleaning heads



| Model     | page |
|-----------|------|
| Lvc Ultra | 4    |
| Hb Max    | 5    |
| Rtu Pro   | 6    |

### Steam cleaners



| Model                    | page    |
|--------------------------|---------|
| Steam Plant              | 8       |
| Steam Turbo              | 9       |
| Steam Box Vac Industrial | 10 - 11 |
| Steam Box Vac Pro        | 12      |

### Tools



|                                   | page    |
|-----------------------------------|---------|
| For manual cleaning with operator | 14 - 17 |

# Lvc Ultra

AUTOMATIC CLEANING HEAD

with linear movement of the cleaning head



photos and prices refer to the basic version of the belt cleaning head;

each request will be followed by a customised project with possible adjustment

of the tool structure and price



Suitable for mesh belts



## Standard configuration

Automatic cleaning head Lvc Ultra composed of:

tensioning plate, standard fixing system, external control box, 4m steam hose, 4m vacuum hose and 4m electric cable.

[When ordering, please specify the type of vacuum cleaner/steam cleaner to be used](#)

Belt width 300mm - 800mm

€ 6.264,00 net

Belt width 810mm - 1200mm

€ 6.407,00 net

Belt width 1210mm - 1600mm

€ 6.675,00 net

Belt width over 1610mm - 2000mm

€ 6.928,00 net

### EXTERNAL CONTROL BOX FUNCTIONS (touchscreen display):

- Programming of cleaning head working positions
- Work cycle programming:
  - Steam flow MINIMUM - MEDIUM - MAXIMUM
  - Detergent injection and overheated water injection
  - Vacuum activation
  - Emergency stop button



### Additional lengths

steam + vacuum + electric cable

+ 2m

€ 86,00 net


+ 4m

€ 172,00 net

# Hb Max SEMI-AUTOMATIC CLEANING HEAD

with movement of the tool to the working and rest position

photos and prices refer to the basic version of the belt cleaning head; each request will be followed by a customised project with possible adjustment of the tool structure and price



## Standard configuration

Semi-automatic cleaning head Hb Max composed of:  
tensioning plate, standard fixing system, external control box, 4m steam hose, 4m vacuum hose and 4m electric cable.

*[When ordering, please specify the type of vacuum cleaner/steam cleaner to be used](#)*

### Belt width up to 500mm

*possible usage on mesh belts prior evaluation*

€ 4.728,00 net

### Belt width 510mm - 1500mm

*usable only on flat conveyor belts*

€ 5.602,00 net

### EXTERNAL CONTROL BOX FUNCTIONS:

- Working and rest position adjustment of the cleaning head
- Steam flow MINIMUM - MEDIUM - MAXIMUM
- Detergent injection and overheated water injection
- Vacuum activation
- Emergency stop button



### Additional lengths

steam + vacuum + electric cable

+ 2m



€ 86,00 net

+ 4m


€ 172,00 net

# Rtu Pro STANDARD CLEANING HEAD

photos and prices refer to the basic version of the belt cleaning head; each request will be followed by a customised project with possible adjustment of the tool structure and price



Suitable for flat belts



## Standard configuration

Standard cleaning head Rtu Pro composed of:

tensioning plate, standard fixing system, external control box, 4m steam hose, 4m vacuum hose and 4m electric cable.

*[When ordering, please specify the type of vacuum cleaner/steam cleaner to be used](#)*

Belt width up to 590mm

€ 2.090,00 net

Belt width from 600mm to 1000mm

€ 2.381,00 net

Belt width from 1010mm to 1500mm

€ 2.506,00 net

Belt width over 1510mm to 1900mm

€ on request

### EXTERNAL CONTROL BOX FUNCTIONS:

- Steam flow MINIMUM - MEDIUM - MAXIMUM
- Detergent injection and overheated water injection
- Vacuum activation
- Emergency stop button



### Additional lengths

steam + vacuum + electric cable

+ 2m

€ 86,00 net

+ 4m

€ 172,00 net

PRODUCTS

# Recommended steam cleaners



# Steam Plant

**kW** from 10,8<sup>kW</sup> to 36<sup>kW</sup>



Steam



Vacuum

## STEAM CLEANER

|                    |                                                                  |                   |
|--------------------|------------------------------------------------------------------|-------------------|
| Boiler             | Stainless steel AISI 304<br>with interchangeable heating element |                   |
| Body               | Stainless steel AISI 304 BA                                      |                   |
| Power supply       | V - Hz                                                           | 3~ N 400 - 50/60  |
| Boiler output      | kW/h                                                             | from 10,8 to 36   |
| Maximum output     | kW/h                                                             | from 10,8 to 39,1 |
| Boiler volume      | l                                                                | 11 - 12           |
| Operating pressure | bar                                                              | 6 10              |
| Steam production   | g/min                                                            | from 291 to 970   |
|                    | Kg/h                                                             | from 17,5 to 58   |
| Steam T°           | ° C                                                              | 165 183           |

## VACUUM CLEANER

|               |      |      |
|---------------|------|------|
| Power output  | kW/h | 3    |
| Drum capacity | l    | 30   |
| Air flow      | m3/h | 320  |
| Depression    | mm   | 3200 |

## VARIOUS

|                      |    |               |
|----------------------|----|---------------|
| Weight               | Kg | 266           |
| Power cable          | m  | su misura     |
| Machine dimensions   | cm | -             |
| Pallet dimensions    | cm | 164 x 95 x 61 |
| Quantity pallet/unit | pz | 1             |



## PRICE LIST

**kW**

**COD.**


**PRICE**

**from 10,8 kW to 36 kW**

-

**on request**

# Steam Turbo



kW 10,8 17,4 21 21,6 31,8 39



## Steam cleaner

|                    |                                                                  |                              |      |      |      |      |     |
|--------------------|------------------------------------------------------------------|------------------------------|------|------|------|------|-----|
| Boiler             | Stainless steel AISI 304<br>with interchangeable heating element |                              |      |      |      |      |     |
| Body               | Stainless steel AISI 304 BA                                      |                              |      |      |      |      |     |
| Power supply       | V - Hz                                                           | 3~400 - 50 (60Hz on request) |      |      |      |      |     |
| Boiler output      | kW/h                                                             | 10,8                         | 14,4 | 18   | 21,6 | 28,8 | 36  |
| Maximum output     | kW/h                                                             | 10,8                         | 17,4 | 21   | 21,6 | 31,8 | 39  |
| Boiler volume      | l                                                                | 13                           |      |      |      |      |     |
| Operating pressure | bar                                                              | from 1 to 10                 |      |      |      |      |     |
| Water tank         | l                                                                | 14                           |      |      |      |      |     |
| Detergent tank     | l                                                                | 14                           |      |      |      |      |     |
| Steam production   | g/min                                                            | 291                          | 388  | 485  | 582  | 776  | 970 |
|                    | Kg/h                                                             | 17,5                         | 23   | 29,1 | 35   | 46,5 | 58  |
| Steam T°           | ° C                                                              | 165 - 183                    |      |      |      |      |     |

## Vacuum cleaner

|               |      |         |  |
|---------------|------|---------|--|
| Power output  | kW/h | 3       |  |
| Drum capacity | l    | 14   43 |  |
| Air flow      | m3/h | 320     |  |
| Depression    | mm   | 3200    |  |

## Various

|                      |     |                                           |  |
|----------------------|-----|-------------------------------------------|--|
| Weight               | Kg  | 151                                       |  |
| Power cable          | m   | 8                                         |  |
| Machine dimensions   | cm  | H.166 x L.69 x W. 95,5<br>vacuum drum 43l |  |
| Pallet dimensions    | cm  | 120x80x165                                |  |
| Quantity pallet/unit | pcs | 1                                         |  |

## Technical features



Operating  
Pressure  
10 Bar



Water mains  
connection



Water  
tank



Detergent  
tank



Automatic  
water refilling



Detergent  
injection



Overheated  
water injection



Power switch  
regulation



Steam pressure  
regulation



Induction  
turbine



Control  
panel



Boiler cleaning  
signal

## Pricelist

### Version with 14l drum

| kW      | CODE                             | PRICE       |
|---------|----------------------------------|-------------|
| 10,8 kW | 6H06T00 16A plug / 10,8 kW total | € 14.007,00 |
|         | 6H06T10 32A plug / 13,8 kW total |             |
| 14,4 kW | 6H05T00                          | € 15.231,00 |
| 18 kW   | 6H04T00                          | € 16.470,00 |
| 21,6 kW | 6H03T00 32A plug / 21,6kW total  | € 17.185,00 |
|         | 6H03T10 63A plug / 24,6kW total  |             |
| 28,8 kW | 6H02T00                          | € 20.427,00 |
| 36 kW   | 6H01T00                          | € 23.650,00 |

### Version with power switch regulation (14l drum)

|                        |                                 |             |
|------------------------|---------------------------------|-------------|
| from 7,2 kW to 21,6 kW | 6H03T0M 32A plug / 21,6kW total | € 18.686,00 |
|                        | 6H03T1M 63A plug / 25,6kW total |             |
| from 10,8 kW to 36 kW  | 6H01T0M                         | € 25.152,00 |

### Version with 43l drum

| kW      | CODE                             | PRICE       |
|---------|----------------------------------|-------------|
| 10,8 kW | 6H06F00 16A plug / 10,8 kW total | € 14.053,00 |
|         | 6H06F10 32A plug / 13,8 kW total |             |
| 14,4 kW | 6H05F00                          | € 15.280,00 |
| 18 kW   | 6H04F00                          | € 16.519,00 |
| 21,6 kW | 6H03F00 32A plug / 21,6kW total  | € 17.234,00 |
|         | 6H03F10 63A plug / 24,6kW total  |             |
| 28,8 kW | 6H02F00                          | € 20.475,00 |
| 36 kW   | 6H01F00                          | € 23.699,00 |

### Version with power switch regulation (14l drum)

|                        |                                 |             |
|------------------------|---------------------------------|-------------|
| from 7,2 kW to 21,6 kW | 6H03F0M 32A plug / 21,6kW total | € 18.736,00 |
|                        | 6H03F1M 63A plug / 25,6kW total |             |
| from 10,8 kW to 36 kW  | 6H01F0M                         | € 25.201,00 |

# Steam Box Vac Industrial

**kW** 11 17,8 22 32,2 39,4



Steam



Vacuum

## Steam cleaner

|                    |                                                                  |               |      |      |      |      |
|--------------------|------------------------------------------------------------------|---------------|------|------|------|------|
| Boiler             | Stainless steel AISI 304<br>with interchangeable heating element |               |      |      |      |      |
| Body               | Stainless steel AISI 304 BA                                      |               |      |      |      |      |
| Power supply       | V - Hz                                                           | 3~400 - 50/60 |      |      |      |      |
| Boiler output      | kW/h                                                             | 10,8          | 14,4 | 21,6 | 28,8 | 36   |
| Maximum output     | kW/h                                                             | 11            | 17,8 | 22   | 32,2 | 39,4 |
| Boiler volume      | l                                                                | 11            | 12   | 13   |      |      |
| Operating pressure | bar                                                              | 10            |      |      |      |      |
| Water tank         | l                                                                | 20            |      |      |      |      |
| Detergent tank     | l                                                                | 20            |      |      |      |      |
| Steam production   | g/min                                                            | 291           | 388  | 582  | 776  | 970  |
|                    | Kg/h                                                             | 17,5          | 23   | 35   | 46,5 | 58   |
| Steam T°           | ° C                                                              | 183           |      |      |      |      |

## Vacuum cleaner

|               |      |      |
|---------------|------|------|
| Power output  | kW/h | 3    |
| Drum capacity | l    | 50   |
| Air flow      | m3/h | 320  |
| Depression    | mm   | 3200 |

## Various

|                      |     |                        |
|----------------------|-----|------------------------|
| Weight               | Kg  | 176                    |
| Power cable          | m   | 8                      |
| Machine dimensions   | cm  | H.110 x L.53 x W. 82,5 |
| Pallet dimensions    | cm  | 115x65x125             |
| Quantity pallet/unit | pcs | 1                      |



## Technical features



Operating pressure  
10 bar



Water mains connection



Water tank



Detergent tank



Automatic water refilling



Detergent injection



Overheated water injection



Control panel



Boiler cleaning signal

## Pricelist


### Steam cleaner

| kW       | CODE    | PRICE       |
|----------|---------|-------------|
| *10,8 kW | 5H05I10 | € 9.352,00  |
| 14,4 kW  | 5H04I10 | € 10.459,00 |
| *21,6 kW | 5H03I10 | € 12.246,00 |
| 28,8 kW  | 5H02I10 | € 15.191,00 |
| 36 kW    | 5H01I10 | € 18.125,00 |

### Vacuum cleaner

| kW   | CODE    | PRICE        |
|------|---------|--------------|
| 3 kW | ASP900C | € 4.395,00 ● |

\* when the vacuum is activated, the boiler output will drop by 3,6kW on the models 10,8 and 21,6kW



# Steam Box Vac Industrial

**kW** 11,1 15,8 22,15


## Steam cleaner

|                    |                                                                  |               |            |
|--------------------|------------------------------------------------------------------|---------------|------------|
| Boiler             | Stainless steel AISI 304<br>with interchangeable heating element |               |            |
| Body               | Stainless steel AISI 304 BA                                      |               |            |
| Power supply       | V - Hz                                                           | 3~400 - 50/60 |            |
| Boiler output      | kW/h                                                             | 10            | 14,4 20,75 |
| Maximum output     | kW/h                                                             | 11,1          | 15,8 22,15 |
| Boiler volume      | l                                                                | 11            | 12         |
| Operating pressure | bar                                                              | 10            |            |
| Water tank         | l                                                                | 20            |            |
| Detergent tank     | l                                                                | 20            |            |
| Steam production   | g/min                                                            | 291           | 388 564    |
|                    | Kg/h                                                             | 17,5          | 23 33,8    |
| Steam T°           | °C                                                               | 183           |            |

## Vacuum cleaner

|               |      |          |
|---------------|------|----------|
| Power output  | kW/h | 1        |
| Drum capacity | l    | 7,5   14 |
| Air flow      | m3/h | 200      |
| Depression    | mm   | 2200     |

## Various

|                      |     |                          |
|----------------------|-----|--------------------------|
| Weight               | Kg  | 113                      |
| Power cable          | m   | 8                        |
| Machine dimensions   | cm  | H.143,8 x L.53 x W. 82,5 |
| Pallet dimensions    | cm  | 115x65x125               |
| Quantity pallet/unit | pcs | 1                        |

## Technical features


 Operating pressure  
10 bar


Water mains connection



Water tank



Detergent tank



Automatic water refilling



Detergent injection



Overheated water injection



Induction turbine



Control panel



Boiler cleaning signal

## Pricelist

### Version with 7,5l drum

| kW                  | CODE    | PRICE       |
|---------------------|---------|-------------|
| 10 <sup>kW</sup>    | 5H05T10 | € 11.686,00 |
| 14,4 <sup>kW</sup>  | 5H04T10 | € 12.792,00 |
| 20,75 <sup>kW</sup> | 5H03T10 | € 14.580,00 |

### Version with 14l drum

| kW                  | CODE    | PRICE       |
|---------------------|---------|-------------|
| 10 <sup>kW</sup>    | 5H05L10 | € 11.736,00 |
| 14,4 <sup>kW</sup>  | 5H04L10 | € 12.840,00 |
| 20,75 <sup>kW</sup> | 5H03L10 | € 14.628,00 |

# Steam Box Vac Pro

kW 4,8 8,4 11,1 15,6



## Steam cleaner

|                    |                                                                  |               |      |      |      |
|--------------------|------------------------------------------------------------------|---------------|------|------|------|
| Boiler             | Stainless steel AISI 304<br>with interchangeable heating element |               |      |      |      |
| Body               | Stainless steel AISI 304 BA                                      |               |      |      |      |
| Power supply       | V - Hz                                                           | 3~400 - 50/60 |      |      |      |
| Boiler output      | kW/h                                                             | 3,6           | 7,2  | 10   | 14,4 |
| Maximum output     | kW/h                                                             | 4,8           | 8,4  | 11,1 | 15,6 |
| Boiler volume      | l                                                                | 7             |      |      |      |
| Operating pressure | bar                                                              | 10            |      |      |      |
| Water tank         | l                                                                | 14            |      |      |      |
| Detergent tank     | l                                                                | 14            |      |      |      |
| Steam production   | g/min                                                            | 97            | 194  | 272  | 388  |
|                    | Kg/h                                                             | 5,9           | 11,6 | 16,3 | 23   |
| Steam T°           | °C                                                               | 183           |      |      |      |

## Vacuum cleaner

|               |      |          |
|---------------|------|----------|
| Power output  | kW/h | 1        |
| Drum capacity | l    | 7,5   14 |
| Air flow      | m3/h | 200      |
| Depression    | mm   | 2200     |

## Various

|                      |     |                          |
|----------------------|-----|--------------------------|
| Weight               | Kg  | 82                       |
| Power cable          | m   | 8                        |
| Machine dimensions   | cm  | H.120,4 x L.53 x W. 82,5 |
| Pallet dimensions    | cm  | 115x65x125               |
| Quantity pallet/unit | pcs | 1                        |



## Technical features



Water mains  
connection



Water  
tank



Detergent  
tank



Automatic  
water refilling



Detergent  
injection



Overheated  
water injection



Induction  
turbine



Control  
panel



Boiler cleaning  
signal

## Pricelist

### Version with 7,5l drum

| kW      | CODE    | PRICE       |
|---------|---------|-------------|
| 3,6 kW  | 4H07T10 | € 8.682,00  |
| 7,2 kW  | 4H06T10 | € 10.104,00 |
| 10 kW   | 4H05T10 | € 10.907,00 |
| 14,4 kW | 4H04T10 | € 11.919,00 |

### Version with 14l drum

| kW      | CODE    | PRICE       |
|---------|---------|-------------|
| 3,6 kW  | 4H07L10 | € 8.732,00  |
| 7,2 kW  | 4H06L10 | € 10.153,00 |
| 10 kW   | 4H05L10 | € 10.955,00 |
| 14,4 kW | 4H04L10 | € 11.969,00 |

PRODUCTS

# Accessories for manual cleaning



## Accessories for cleaning with operator

### Geyser 1 hose - Steam+vacuum



COD. FOR STEAM GENERATORS WITH OVERHEATED WATER INJECTION

For Steam Box Ind-Pro-Mini w.e.f. 07/18 - For Steam Turbo w.e.f. 01/20

PRICE

8m

GE1H08A

7108A12

€ 1.512,00

## Accessories for cleaning with operator

### Geyser 1 lances

|                                                                                   |          |                                                                                    |          |
|-----------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------------|----------|
|  |          |  |          |
| 100mm                                                                             |          | 400mm                                                                              |          |
| 7100011                                                                           | € 66,00  | 7100111                                                                            | € 90,00  |
|  |          |  |          |
| 800mm                                                                             |          | 1200mm                                                                             |          |
| 7100121                                                                           | € 111,00 | 7100131                                                                            | € 162,00 |

### Surfaces cleaners

|                                                                                                                                  |              |                                                                                                                                                   |                |
|----------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|                                               |              | Reduction 1/4M - 1/8F (to be ordered with surfaces cleaners)                                                                                      |                |
| RA30704                                                                                                                          |              | € 0,72 net                                                                                                                                        |                |
|                                               |              |                                                                |                |
| <b>Stainless-steel surfaces cleaner Ø200mm with side handle and wheels</b><br><i>recommended for power from 14,4 kW to 36 kW</i> |              | <b>Stainless-steel surfaces cleaner Ø200mm with side handle, wheels and rotating swivel</b><br><i>recommended for power from 14,4 kW to 36 kW</i> |                |
| DF00200                                                                                                                          | € 901,00 net | DF0020S                                                                                                                                           | € 1.122,00 net |
|                                             |              | <b>Stainless-steel surfaces cleaner Ø300mm with wheels and rotating swivel</b><br><i>recommended for power from 21,6 kW to 36 kW</i>              |                |
| DF00300                                                                                                                          |              | € 1.122,00 net                                                                                                                                    |                |

# Accessories for cleaning with operator

## Radames 10 bar hose - Steam+Vacuum



|  |  CODE FOR STEAM CLEANER WITH OVERHEATED WATER INJECTION |                                |                                                   | PRICE   |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------|---------|
|                                                                                    | Steam Box Pro & Steam Box /Mini w.e.f. 07/18<br>For Steam Tech w.e.f. 02/19                                                                | Steam Box Ind.<br>w.e.f. 07/18 | Steam Turbo &<br>Steam Power Plus<br>w.e.f. 09/19 |         |
|                                                                                    | 4m 12P                                                                                                                                     | RW04BT2                        | RW04BT3                                           | RW04BG6 |
|                                                                                    | 8m 12P                                                                                                                                     | RW08BT2                        | RW08BT3                                           | RW08BG6 |
| 12m 12P                                                                            | RW12BT2                                                                                                                                    | RW12BT3                        | RW12BG6                                           |         |
|                                                                                    |                                                                                                                                            |                                |                                                   |         |
|  |  CODE FOR STEAM CLEANER WITH OVERHEATED WATER INJECTION |                                |                                                   | PRICE   |
|                                                                                    | For Steam Box Industrial                                                                                                                   |                                |                                                   |         |
|                                                                                    | 4m 12P                                                                                                                                     | 702040TW                       | 702140TW                                          |         |
|                                                                                    | 8m 12P                                                                                                                                     | 702080TW                       | 702180TW                                          |         |
| 12m 12P                                                                            | 702012TW                                                                                                                                   | 702112TW                       |                                                   |         |

## Accessories for cleaning with operator

### Radames adapter



Radames adapter for surfaces cleaner

155mm

51070DF

395mm

(for floor cleaning you need to order 1pcs of Radames 10 bar extension tube - cod.71030G4)

51075DF

€ 73,00 net

### Surfaces cleaner



Stainless-steel surfaces cleaner Ø200mm  
with side handle and wheels

recommended for power from 14,4 kW to 36 kW

DF00200

€ 901,00 net



Stainless-steel surfaces cleaner Ø200mm  
with side handle, wheels and rotating swivel

recommended for power from 14,4 kW to 36 kW

DF0020S

€ 1.122,00 net



Stainless-steel surfaces cleaner Ø300mm  
with wheels and rotating swivel

recommended for power from 21,6 kW to 36 kW

DF00300

€ 1.122,00 net

### Steam + air compressed accessories



Kit of 2 steam and compressed air valves

MS0002R

€ 62,00 net



Radames adapter for surfaces cleaner + Kit of 2 steam and compressed air valves  
Stainless-steel surfaces cleaner Ø200mm included

51020DF

€ 1.036,00 net

5102SDF- with rotating swivel

€ 1.257,00 net



L'ARTE DEL VAPORE



World leading manufacturer of high quality steam cleaners

Need more information?  
Don't hesitate to contact us!



+39 045 67 67 252



[sales@tecnovap.com](mailto:sales@tecnovap.com) - [info@tecnovap.com](mailto:info@tecnovap.com)



[www.tecnovap.it](http://www.tecnovap.it)

