

TECNOVAP

L'ARTE DEL VAPORE

english

HIGH PRESSURE WASHER

Hydrobox





High pressure
water

Hydrobox

kW

10,5

15,9

bar

150

Technical features



Water mains
connection



Water temperature
regulation



Water pressure
regulation



Control
panel



Boiler
maintenance
signal

Hot/cold high-pressure washer with stainless-steel body and boiler:

- The water temperature can be set from 20°C to 90°C.
- The water pressure can be set from 1 to 150bar.
- The ergonomic structure, the fully electric operation and the compact size allows its to usage in any environment.
- All steam cleaner functions can be managed on the electronic control panel.
- Equipped with hose holder, cable holder, lance holder and front 360° swivel wheels.



Applications



Ecologic
weed killing





Transport
industry



Special
applications



Car wash



Technical data

High pressure washer

Boiler	Stainless-steel AISI 304 with interchangeable heating elements		
Body	Stainless-steel AISI 304 BA		
Power supply	V - Hz	3~ 400 - 50/60	
Boiler output	kW/h	9,0	14,4
Maximum output	kW/h	10,5	15,9
Boiler volume	l	5	
Operating pressure	bar	from 1 to 150	
Water flow	l/min	2	4
Water temperature	°C	from 20 to 90	

Various

Weight	Kg	57
Cable	m	8
Dimensions (generator)	cm	H.99 x L.66 x W. 40,8
Dimensions (pallet)	cm	53 x 40 x 52
Pallet/unit	pz	8

Standard features



Control panel



ON/OFF switch



Pressure gauge



Water pressure
regulation



Water mains
connection



High pressure water outlet



Hose holder



Lance holder



Anti-scratch rubber
wheels 360°
with safety brakes



Electric plug
3~ 400 - 50/60
with 8m cable

Accessories



High-pressure water hose
10m - 15m



High-pressure water lance L.500mm





High-pressure water lance L.700mm



High-pressure water lance L.900mm



High-pressure water lance L.1200mm



Applications



Need more information?
Don't hesitate to contact us!

+39 045 67 67 252

sales@tecnovap.com - info@tecnovap.com

www.tecnovap.it

Follow us

